



SumiPro® EW

is the latest innovation in flying insects control. combining the power of a excellent knockdown agent (SumiOne 0.1% w/w), killing agent (Gokilaht-S 6.0 % w/w), synergist piperonyl butoxide(PBO) with Advanced Evaporation Retardant (AER) technology.

SumiPro® utilizes a proprietary Sumitomo's formulation and technology that allows stable dilution in water and spray can reach distances of up to 100 metres with minimal water droplet shrinkage via water evaporation - providing better efficacy per application to ensure superior knock-down and kill.

Unique water-based formulation remove the use of oil-based diluents such as diesel and helps minimize the environmental impact. It can be applied through ULV, misting or thermal fogging equipment.

Why Choose SumiPro® EW

- Clean solution with AER technology
- Incorporates PBO enhances performance against insects with metabolic resistance
- For use against a wide range of flying insect pests (mosquito and fly)
- Dilutable in water for indoor and outdoor applications
- *Advanced Evaporation Retardant (AER) technology provides the excellent performance which maintain droplet size and efficacy at 100m distance
- Economical to use
- Suitable use in commercial and residential building, livestock and poultry facilities
- Suitable for use through Ultra Low Volume (ULV), misting or thermal fogging equipment

Packaging size: 1 Litre

*Advanced Evaporation Retardant (AER)

Rapid evaporation of water



from spray nozzel

Migration of long chain alcohol molecules to the droplet's surface


Evaporation of water reduced




Formation of a complete stable film surrounding the droplet's surface


Biological Activity


A wide range of laboratory and field data is available. The following graphs summarize such applications in comparison with other "EW products" in the market:







SumiPro® EW provided excellent kill when applied by thermal fogger or as a ULV against mosquitoes in field trials, Malaysia





SumiPro® EW provided excellent kill when applied by thermal fogger without using carrier or as a ULV against house fly in field trials, Malaysia





SumiPro® EW demonstrated excellent knockdown even without using carrier for thermal fogging and ULV sprayer (portable) in field trials, Malaysia

In vehicle mounted ULV field trials, SumiPro® EW demonstrated excellent performance up to 100m from the sprayer with minimum decrease of droplet size.







Trials using


truck mounted ULV

Rotating slide impactors


Insect

test cage

SumiPro® EW ULV Trials Turkey VMD of Droplets with Distance from Sprayer



Field Trials with SumiPro® EW EW Ankara, Turkey





Please Read and Follow Product Label Directions and Precautions Before Use.

Contact Us For More Information

Sumitomo Chemical Asia Pte Ltd

3 Fraser Street, #07-28 DUO Tower Singapore 189352

Tel: (65) 6303 5188 Fax: (65) 6298 9621

Sumitomo Chemical Philippines Inc

Unit 4C, 4th Floor, MAPFRE Insular Corporate Center 1220 Acacia Avenue, Madrigal Business Park, Ayala Alabang

Muntinlupa City 1770 Philippines Tel: (632) 885 067180 Fax: (632) 885 063032

Sumitomo Chemical (Thailand) Co. Ltd

Level 35, Unit 3505, Exchange Tower 388 Sukhumvit Road

Klongtoey, Bangkok 10110

Thailand

Tel: (66) 2663 4337 Fax: (66) 2663 4336 Sumitomo Chemical Enviro-Agro Asia Pacific Sdn Bhd

Lot 62A, Persiaran Bunga Tanjung 1 Senawang Industrial Park 70400 Seremban, Negeri Sembilan

Malaysia

Tel: (606) 679 3711 Fax: (606) 679 3698

Sumitomo Chemical Vietnam Co., Ltd

Floor 5, 40 Pham Ngoc Thach Street, Ward 6

District 3, Ho Chi Minh City

Vietnam

Tel: (028) 3822 0127, (028) 3822 0129

Fax: (028) 3822 0131



https://www.sumitomo-chem-envirohealth.com

Disclaimer

The statements, technical information and recommendations contained herein is to be used only as a guide to assist with the product selection and Sumitomo Chemical makes no representation or warranty as to the completeness or accuracy of the information contained herein. The products and specifications set forth in this brochure are subject to change without notice and Sumitomo Chemical disclaims any and all liability for such changes. Since the conditions and methods of use of the product and of the information referred to herein are beyond our control, Sumitomo Chemical expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance on such information; NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE GOODS DESCRIBED OR THE INFORMATION PROVIDED HEREIN. IN NO EVENT WILL SUMITIONO CHEMICAL BE LIABLE FOR ANY INCIDENTAL, INDIRECT OR CONSEQUENTIAL JAMAGES ARISING FROM THE SALE OR USE OF ANY PRODUCT.

The information provided herein relates only to the specific product designated and may not be applicable when such product is used in combination with other materials or in any process. All sales of products shall be subject to Sumitomo Chemical's Standard Terms and Conditions of Sale, a copy of which will be provided by Sumitomo Chemical upon request.

*Sumitomo Chemical as used herein refers to Sumitomo Chemical Asia Pte Ltd, each and any subsidiary or holding company from time to time of that company, whether existing now or in the future.

