





Gokilaht®-S 5EC

is an emulsifiable concentrate formulation, contains Gokilaht®-S (d,d, trans-cyphenothrin) as an active ingredient for dilution in oil or water. The product formulated for maximum knockdown, excellent flushing, and kills a wide variety of insect pests including ant, cockroach, fly, mosquito and flea.



Why Choose

Gokilaht®-S 5EC

- High killing effect.
- Fast knockdown with residual control.
- Control broad spectrum of crawling and flying insect pests.
- Low mammalian toxicity.
- Effective for ULV, thermal fogging and standard sprayer application.

*Gokilaht-S 5EC had been listed as an approved product by WHOPES as well as WHO Prequalification since 2004. As of 18 June 2024, it has been voluntarily withdrawn from WHO Prequalification by Sumitomo Chemical.

Packaging size: 1 Litre

Biological efficacy Efficacy data in comparison with Permethrin 5EC

Efficacy against flying insects

Methods:

Glass chamber method

Insects:

House fly (Musca domestica, CSMA strain) & Mosquito (Culex pipiens pallens)

Dosage: 2.1ml/chamber


Gokilaht®-S 5EC


200 times dilution (0.025% as A.I.)

Permethrin 5EC

50 times dilution (0.1% as A.I.)

Efficacy against House Fly





Efficacy against crawling insects

(1) Direct spray efficacy

Methods:

CSMA direct spray method

Insects:

German cockroach (Blattella germanica) & American cockroach (Periplaneta americana)

Dosage: 1.5ml/chamber Gokilaht®-S 5EC

100 times dilution (0.05% as A.I.)

Permethrin 5EC

25 times dilution (0.25% as A.I)

(2) Flushing-out efficacy

Methods:

Flushing-out test method

Insects:

German cockroach (Blattella germanica) & American cockroach (Periplaneta americana)

Dosage: 4.2ml/glass chamber against German cockroaches

8.4ml/glass chamber against American cockroaches

Gokilaht®-S 5EC 100 times dilution (0.05% as A.I)

Permethrin 5EC

25 times dilution (0.25% as A.I)

(3) Residual efficacy

Methods:

Residual contact method on overlaid plywood panel

Insects:

German cockroach (Blattella germanica) & American cockroach (Periplaneta americana)


Dosage: 50ml/m² Gokilaht®-S 5EC

50 times dilution (0.1% as A.I.)


Permethrin 5EC

12.5 times dilution (0.4% as A.I.)


Efficacy against German Cockroaches




Efficacy against American Cockroaches



Efficacy against German Cockroaches




Efficacy against American Cockroaches



Efficacy against German Cockroaches



Efficacy against American Cockroaches





Health division, we offer the comprehensive product registration package as well as technical support with best use of innovative technologies and formulations to our growing client base from our regional laboratory in

Please Read and Follow Product Label Directions and Precautions Before Use.

Contact Us For More Information

Sumitomo Chemical Asia Pte Ltd

3 Fraser Street, #07-28 DUO Tower

Singapore 189352 Tel: (65) 6303 5188 Fax: (65) 6298 9621

Sumitomo Chemical Philippines Inc

Unit 4C, 4th Floor, MAPFRE Insular Corporate Center 1220 Acacia Avenue, Madrigal Business Park, Ayala Alabang Muntinlupa City

1770 Philippines Tel: (632) 885 067180 Fax: (632) 885 063032

Sumitomo Chemical (Thailand) Co. Ltd

Level 35, Unit 3505, Exchange Tower 388 Sukhumvit Road

Klongtoey, Bangkok 10110 Thailand

Tel: (66) 2663 4337 Fax: (66) 2663 4336

Sumitomo Chemical Enviro-Agro Asia Pacific Sdn Bhd

Lot 62A, Persiaran Bunga Tanjung 1 Senawang Industrial Park 70400 Seremban, Negeri Sembilan Malaysia

Tel: (606) 679 3711 Fax: (606) 679 3698

Sumitomo Chemical Vietnam Co., Ltd

Floor 5, 40 Pham Ngoc Thach Street, Ward 6

District 3, Ho Chi Minh City

Vietnam

Tel: (028) 3822 0127, (028) 3822 0129

Fax: (028) 3822 0131



https://www.sumitomo-chem-envirohealth.com

Disclaimer

The statements, technical information and recommendations contained herein is to be used only as a guide to assist with the product selection and Sumitomo Chemical makes no representation or warranty as to the completeness or accuracy of the information contained herein. The products and specifications set forth in this brochure are subject to change without notice and Sumitomo Chemical disclaims any and all liability for such changes. Since the conditions and methods of use of the product and of the information referred to herein are beyond our control, Sumitomo Chemical expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance on such information; NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE GOODS DESCRIBED OR THE INFORMATION PROVIDED HEREIN. IN NO EVENT WILL SUMITOMO CHEMICAL BE LIABLE FOR ANY INCIDENTAL, INDIRECT OR CONSEQUENTIAL DAMAGES ARISING FROM THE SALE OR USE OF ANY PRODUCT.

The information provided herein relates only to the specific product designated and may not be applicable when such product is used in combination with other materials or in any process. All sales of products shall be subject to Sumitomo Chemical's Standard Terms and Conditions of Sale, a copy of which will be provided by Sumitomo Chemical upon request.

*Sumitomo Chemical as used herein refers to Sumitomo Chemical Asia Pte Ltd, each and any subsidiary or holding company from time to time of that company, whether existing now or in the future.

